

The Bays- WTP Discharge Summary - February 2025

Discharge Date	Site/WTP	pH units	NTU	Oil and Grease
		Probe	Probe (correlation)	Visual
		pH units	NTU	Y/N
		6.5-8.5	18	Not visible
1/02/2025	C-WTP	6.9	1.6	N
2/02/2025	C-WTP	6.9	1.9	N
3/02/2025	C-WTP	7	2.8	N
4/02/2025	C-WTP	7.1	2	N
5/02/2025	C-WTP	6.9	1.8	N
6/02/2025	C-WTP	6.9	1.7	N
7/02/2025	C-WTP	7	1.7	N
8/02/2025	C-WTP	7.2	1.7	N
9/02/2025	C-WTP	7.2	1.6	N
10/02/2025	C-WTP	7.2	1.7	N
11/02/2025	C-WTP	7	1.7	N
12/02/2025	C-WTP	7.1	1.7	N
13/02/2025	C-WTP	7.1	1.7	N
14/02/2025	C-WTP	7.1	1.6	N
15/02/2025	C-WTP	6.9	1.7	N
16/02/2025	C-WTP	7	1.8	N
17/02/2025	C-WTP	7.1	1.7	N
18/02/2025	C-WTP	7	1.7	N
19/02/2025	C-WTP	7.3	1.6	N
20/02/2025	C-WTP	7.3	1.9	N
21/02/2025	C-WTP	7.5	1.8	N
22/02/2025	C-WTP	7.9	1.6	N
23/02/2025	C-WTP	7.9	1.6	N
24/02/2025	C-WTP	7.3	1.9	N
25/02/2025	C-WTP	7.3	1.6	N
26/02/2025	C-WTP	7.3	1.6	N
27/02/2025	C-WTP	7.1	1.6	N
28/02/2025	C-WTP	7.3	1.7	N

Burwood- WTP Discharge Summary- February 2025

Discharge Date	Site/WTP	pH units	NTU	Oil and Grease
		Probe	Probe (correlation)	Visual
		pH units	NTU	Y/N
		6.5-8.5	23	Not visible
3/02/2025	BWD-WTP	6.8	1.5	N
4/02/2025	BWD-WTP	6.7	2.8	N
5/02/2025	BWD-WTP	6.7	1.4	N
6/02/2025	BWD-WTP	6.8	1.1	N
7/02/2025	BWD-WTP	6.8	0.9	N
10/02/2025	BWD-WTP	6.9	1.4	N
11/02/2025	BWD-WTP	7	2.3	N
12/02/2025	BWD-WTP	6.7	0.9	N
13/02/2025	BWD-WTP	6.7	0.6	N
14/02/2025	BWD-WTP	6.6	0.6	N
15/02/2025	BWD-WTP	6.5	0.6	N
17/02/2025	BWD-WTP	6.6	0.7	N
18/02/2025	BWD-WTP	6.7	0.6	N
19/02/2025	BWD-WTP	6.6	0.6	N
20/02/2024	BWD-WTP	6.7	0.8	N
21/02/2025	BWD-WTP	6.7	1.2	N
22/02/2025	BWD-WTP	6.7	1.1	N
24/02/2025	BWD-WTP	6.8	1.1	N
25/02/2025	BWD-WTP	6.9	1.1	N
26/02/2025	BWD-WTP	7	1	N
27/02/2025	BWD-WTP	7.1	1	N
28/02/2025	BWD-WTP	7.1	1	N