

The Bays- WTP Discharge Summary - April 2025

Discharge Date	Site/WTP	pH units	NTU	Oil and Grease
		Probe	Probe (correlation)	Visual
		pH units	NTU	Y/N
		6.5-8.5	18	Not visible
1/04/2025	C-WTP	7.1	1.1	N
2/04/2025	C-WTP	7.1	0.7	N
3/04/2025	C-WTP	6.9	0.5	N
4/04/2025	C-WTP	6.9	0.3	N
5/04/2025	C-WTP	6.8	0.2	N
6/04/2025	C-WTP	6.8	1.6	N
7/04/2025	C-WTP	7	1.3	N
8/04/2025	C-WTP	6.9	0.3	N
9/04/2025	C-WTP	7	0.8	N
10/04/2025	C-WTP	6.9	1.9	N
11/04/2025	C-WTP	6.9	1.5	N
12/04/2025	C-WTP	6.7	1.5	N
13/04/2025	C-WTP	6.6	1.7	N
14/04/2025	C-WTP	6.6	2	N
15/04/2025	C-WTP	6.8	1.8	N
16/04/2025	C-WTP	7.1	1.8	N
17/04/2025	C-WTP	7	7.9	N
18/04/2025	C-WTP	7	2.1	N
19/04/2025	C-WTP	6.9	2.2	N
20/04/2025	C-WTP	7	2.1	N
21/04/2025	C-WTP	7	3.1	N
22/04/2025	C-WTP	7	3.9	N
23/04/2025	C-WTP	7.4	2	N
24/04/2025	C-WTP	7	1.6	N
25/04/2025	C-WTP	7	1.5	N
26/04/2025	C-WTP	7	3.2	N
27/04/2025	C-WTP	7	13.6	N
28/04/2025	C-WTP	7	3.7	N
29/04/2025	C-WTP	7	1.5	N
30/04/2025	C-WTP	7	1.3	N

Burwood- WTP Discharge Summary- April 2025

Discharge Date	Site/WTP	pH units	NTU	Oil and Grease
		Probe	Probe (correlation)	Visual
		pH units	NTU	Y/N
		6.5-8.5	23	Not visible
1/04/2025	BWD-WTP	7.5	1.3	N
2/04/2025	BWD-WTP	7.4	1.3	N
3/04/2025	BWD-WTP	7.3	1.3	N

4/04/2025	BWD-WTP	7.4	1.3	N
5/04/2025	BWD-WTP	7.4	1.6	N
7/04/2025	BWD-WTP	7.4	2	N
9/04/2025	BWD-WTP	7.5	2	N
17/04/2025	BWD-WTP	7.4	0.1	N
22/04/2025	BWD-WTP	7.4	0.1	N
28/04/2025	BWD-WTP	6.8	1.7	N
29/04/2025	BWD-WTP	6.9	0.1	N
30/04/2025	BWD-WTP	6.9	0.1	N