

The Bays- WTP Discharge Summary - May 2025

Discharge Date	Site/WTP	pH units	NTU	Oil and Grease
		Probe	Probe (correlation)	Visual
		pH units	NTU	Y/N
		6.5-8.5	18	Not visible
1/05/2025	TBY-WTP	7	1.5	N
2/05/2025	TBY-WTP	7	1.2	N
3/05/2025	TBY-WTP	7	1.2	N
4/05/2025	TBY-WTP	7	1.6	N
5/05/2025	TBY-WTP	7	7.8	N
6/05/2025	TBY-WTP	7	1.5	N
7/05/2025	TBY-WTP	7	1.3	N
8/05/2025	TBY-WTP	7	1.4	N
9/05/2025	TBY-WTP	7	1.7	N
10/05/2025	TBY-WTP	7	1.5	N
11/05/2025	TBY-WTP	7	2.3	N
12/05/2025	TBY-WTP	7.1	1.7	N
13/05/2025	TBY-WTP	7.1	1.6	N
14/05/2025	TBY-WTP	7.1	2.2	N
15/05/2025	TBY-WTP	7	1.3	N
16/05/2025	TBY-WTP	7	1.3	N
17/05/2025	TBY-WTP	6.9	1.7	N
18/05/2025	TBY-WTP	7	2.8	N
19/05/2025	TBY-WTP	7	4.4	N
20/05/2025	TBY-WTP	7	1.3	N
21/05/2025	TBY-WTP	7	2.1	N
22/05/2025	TBY-WTP	7	1.2	N
23/05/2025	TBY-WTP	7	1.4	N
24/05/2025	TBY-WTP	7.1	1.6	N
25/05/2025	TBY-WTP	7.1	1.7	N
26/05/2025	TBY-WTP	7.1	1.7	N
27/05/2025	TBY-WTP	7.1	2.1	N
28/05/2025	TBY-WTP	7.1	1.2	N
29/05/2025	TBY-WTP	7	1.2	N
30/05/2025	TBY-WTP	7.1	1.1	N
31/05/2025	TBY-WTP	7	1.2	N

Burwood- WTP Discharge Summary - May 2025

Discharge Date	Site/WTP	pH units	NTU	Oil and Grease
		Probe	Probe (correlation)	Visual
		pH units	NTU	Y/N
		6.5-8.5	23	Not visible
1/05/2025	BWD-WTP	7.0	0.3	N
2/05/2025	BWD-WTP	6.9	1.4	N
6/05/2025	BWD-WTP	7.0	1.8	N
8/05/2025	BWD-WTP	7.1	1.4	N
16/05/2025	BWD-WTP	7.0	1.2	N
19/05/2025	BWD-WTP	7.0	1.3	N
20/05/2025	BWD-WTP	7.0	1.2	N
21/05/2025	BWD-WTP	7.1	1.4	N
22/05/2025	BWD-WTP	7.1	1.3	N
23/05/2025	BWD-WTP	7.3	0.6	N
24/05/2025	BWD-WTP	7.3	0.3	N
29/05/2025	BWD-WTP	7.3	0.1	N